ANALYTICA CHIMICA ACTA, VOL. 192 (1987)

AUTHOR INDEX

Ahmed, R.
— and Stoeppler, M.
Storage and stability of mercury and methylmercury in sea water 109
Allen, E.
— and Jackson, K. W.
Fast-response system for signal acquisition and processing in electrothermal atomic absorption spectrometry 355
Arnold, M. A., see Bunker III, O. W., 315
Askeland, R. A.
— and Skogerboe, R. K.
Selective determination of iron by fluorescence quenching of a naturally occurring pigment 133

Ballantyne, E. K., see Majeed, A. 125
Baweja, R.
Application of reversed-phase high-performance liquid chromatography for the separation of deuterium and hydrogen analogs of aromatic hydrocarbons 345
Bonakdar, M., see Wang, J. 215
Bowyer, J. R.
— and Spurlin, S. R.
Chemiluminescence method for determination of benzoyl peroxide in solution 289
Brinkman, U. A. Th, see De Ruiter, C. 267
Budgell, D. R.
—, Hayes, E. R. and Helleur, R. J.
Direct identification of pentoses and hexoses by pyrolysis/capillary gas chromatography 243
Budgell, D. R., see Helleur, R. J. 367
Bunker III, O. W.
— and Arnold, M. A.
Potentiometric determination of enzyme activities with slopes computed with the Savitzky-Golay digital filter 315
Bye, R.
Iron(III) as releasing agent for copper interference in the determination of selenium by hydride-generation atomic absorption spectrometry 115

Callejon Mochon, M., see Nunez, R. L. 119
Calokerinos, A. C., see Koukli, I. I. 333
Calvo, A., see Silvar, L. 349
Cardwell, T. J.
—, Caridi, D., Cattrall, R. W. and Hamilton, I. C.
The spectrophotometric determination of iron(III) in a flow-injection system with a mixed solvent 129
Caridi, D., see Cardwell, T. J. 129
Cattrall, R. W., see Cardwell, T. J. 129
Charlier, J.
—, Merciny, E. et Fuger, J.
Etude de la complexation des lanthanides trivalents par les six isomères de l'acide diaminocyclohexane-tetraacétique. Partie 4. Détermination des constantes de formation des complexes 1:1 des lanthanides trivalents avec quatre isomères. Influence des facteurs géométriques sur la stabilité des complexes et la sélectivité des agents chélatants 95
Chuen-Ying Liu
Histidine as the functional group for a chelating ion exchange 85
Clerc, J. T., see Macdonald, A. M. G. v
Coenegracht, P. M. J., see van der Voet, H. 63
Crouch, S. R., see Ratanathanawongs, S. K., 277
Crouch, S. R., see Stults, C. L. M. 155, 301

Danielson, N. D., see Miller, B. E. 293
Denoyer, E. R.
— and Siegel, L. A.
Determination of sulfur, nickel and vanadium in fuel and residual oils by x-ray fluorescence spectrometry 361
Denton, M. B., see Huth, T. C. 165
De Ruiter, C.
—, Wolf, J. H., Brinkman, U. A. Th. and Frei, R. W.
Design and evaluation of a sandwich phase separator for on-line liquid/liquid extraction 267
Diffee, J. T., see Heckman, R. A. 197

Durand-Keklikian, L.
— and Vedel, J.
Solubilities of chromium(III) in molten potassium hydrogensulfate 373

Fanelli, N., see Meites, L. 33
Fortier, N. E., see Lockridge, J. E. 41
Frei, R. W., see De Ruiter, C. 267
Fritz, J. S., see Lockridge, J. E. 41
Fuger, J., see Charlier, J. 95
Furton, K. G.
—, Khatib, S. and Poole, C. F.
Gas chromatographic stationary-phase properties of two room temperature liquid organic salts 49
Furton, K. G.
—, Poole, C. F. and Kersten, B. R.
Correlation of solute retention in gas chromatography with properties of the anion for tetra-n-butylammonium salts 255

Golas, J.
— and Osteryoung, J.
Electrodeposition and anodic stripping of silver on single carbon fibers 225
Gross, S., see Sandifer, J. R. 237
Guilbault, G. G., see Palleschi, G. 339
Guiraum Perez, A., see Nunez, R. L. 119

Hamilton, I. C., see Cardwell, T. J. 129
Hayes, E. R., see Budgell, D. R. 243
Hayes, E. R., see Helleur, R. J. 367
Heckman, R. A.
—, Diffee, J. T. and Milhous, L. A. Jr.
Transfer of near-infrared monochromator calibrations for tobacco constituents to tilting-filter instruments 197
Helleur, R. J., see Budgell, D. R. 243
Helleur, R. J.
—, Budgell, D. R. and Hayes, E. R.
Identification of the composition of oligosaccharides and polysaccharides by pyrolysis/capillary gas chromatography 367
Hemel, J. B., see van der Voet, H. 63
Hendrick, M. S.
— and Michel, R. G.
Optimization of a direct-current plasma emission echelle spectrometer 183
Hieftje, G. M., see Vickers, G. H. 145
Hua, C.
—, Jagner, D. and Renman, L.
Automated determination of molybdenum(VI) in seawater by means of constant-current reduction of the adsorbed 8-quinolinol complex in a computerized flow potentiometric stripping analyzer 103
Hudovsky, Z., see Široki, M. 175
Huth, T. C.
— and Denton, M. B.
Analysis of complex mixtures by photoionization mass spectrometry with a vacuum-ultraviolet hydrogen-laser source 165

Jackson, K. W., see Allen, E. 355
Jagner, D., see Hua, C. 103
Johansson, G., see Yang, X. 1
Johansson, P.-A.
—, Thelander, S. and Stålberg, O.
Automatic potentiometric two-phase titration in pharmaceutical analysis. Part 3. Titrimetric identification of drugs 17
Johnson, D. C., see Neuburger, G. G. 205

Kahn, M. S., see Majeed, A. 125
Kersten, B. R., see Furton, K. F. 255
Khatib, S., see Furton, K. G. 49
Kohashi, K., see Tsuruta, Y. 309
Koukli, I. I.
— and Calokerinos, A. C.
Kinetic determination of some inorganic and organic compounds by oxidation with iodate 333
Krull, U. J.
Ion-current signal optimization for lipid membrane-based biosensors 321

León, L. E., see Silvar, L. 349
Lockridge, J. E.
—, Fortier, N. E., Schmuckler, G. and Fritz, J. S.
Potentiometric detection of halides and pseudohalides in anion chromatography 41
Lubrano, G. J., see Palleschi, G. 339
Lynes, A., see Whiteside, I. R. C. 77

Macdonald, A. M. G.
—, Pardue, H. L., Townshend, A. and Clerc, J. T.
Editorial v
Majeed, A.
—, Kahn, M. S. and Ballantyne, E. K.
Spectrophotometric determination of

zirconium in steels with xylenol orange 125
Marić, Lj., see Široki, M. 175
Mascini, M.
— and Mazzei, F.
Amperometric sensor for pyruvate with immobilized pyruvate oxidase 9
Mazzei, F., see Mascini, M. 9
Meites, L.
—, Fanelli, N. and Papoff, P.
The accuracy and precision of the classical technique for locating the point of maximum slope on a potentiometric titration curve 33
Merciny, E., see Charlier, J. 95
Michel, R. G., see Hendrick, M. S. 183
Milhous, L. A. Jr., see Heckman, R. A. 197
Miller, B. E.
— and Danielson, N. D.
Fluorimetric determination of danthron in pharmaceutical tablets and in urine 293
Miller, R. M., see Vickers, G. H. 145
Milun, V., see Široki, M., 175

Nabi Rahni, M. A., see Palleschi, G. 339
Neuburger, G. G.
— and Johnson, D. C.
Pulsed coulometric detection of carbohydrates at a constant detection potential at gold electrodes in alkaline media 205
Nunez, R. L.
—, Callejón Mochón, M. and Guiraum Pérez, A.
Spectrophotometric study of a ternary zirconium/fluoride/alizarin complex with application to the determination of zirconium 119

Osteryoung, J., see Golas, J. 225

Pack, M. M., see Wang, J. 215
Palleschi, G.
—, Guilbault, G. G., Lubrano, G. J. and Nabi Rahni, M. A.
Studies of amperometric glucose dehydrogenase electrodes for glucose 339
Papoff, P., see Meites, L. 33
Pardue, H. L., see Macdonald, A. M. G. v
Poole, C. F., see Furton, K. G. 49, 255

Ratanathanawongs, S. K.
— and Crouch, S. R.
Development of a selective post-column detector for phenols separated by high-performance liquid chromatography 277
Renman, L., see Hua, C. 103
Risinger, L., see Yang, X. 1
Ruiter, C., de, see de Ruiter, C. 267

Sandifer, J. R.
— and Gross, S.
Bipolar pulse conductivity measurements applied to ion-selective electrodes 237
Schmuckler, G., see Lockridge, J. E. 41
Siegel, L. A., see Denoyer, E. R. 361
Silvar, L.
—, León, L. E. and Calvo, A.
Indirect determination of iron in a flow-injection system with amperometric detection 349
Široki, M.
—, Vujičić, G. Milun, V., Hudovsky, Z. and Marić, Lj.
Determination of phosphorus in organic compounds and metal complexes by inductively-coupled plasma atomic emission spectrometry 175
Skogerboe, R. K., see Askeland, R. A. 133
Spurlin, S. R., see Bowyer, J. R. 289
Stålberg, O., see Johansson, P.-A. 17
Stoeppler, M. see Ahmed, R. 109
Stults, C. L. M.
—, Wade, A. P. and Crouch, S. R.
Computer-assisted optimization of an immobilized-enzyme flow-injection system for the determination of glucose 155
Stults, C. L. M.
—, Wade, A. P. and Crouch, S. R.
Experimental studies of the effect of temperature on dispersion in a flow-injection system 301

Thelander, S., see Johansson, P.-A. 17
Tougas, T. P.
— and Yuan, C. Y.
Simultaneous determination of multiple components in flow-injection systems by square-wave amperometry 327
Townshend, A., see Macdonald, A. M. G. v
Tsuruta, Y.
— and Kohashi, K.
Sensitive derivatization reagents for hydroxyl and amino compounds for thin-layer or high-performance liquid chromatography with fluorescence detection 309

Van der Voet, H.
—, Coenegracht, P. M. J. and Hemel, J. B. New probabilistic versions of the SIMCA and CLASSY classification methods. Part 1. Theoretical description 63
Vedel, J., see Durand-Keklikian, L. 373
Vickers, G. H.
—, Miller, R. M. and Hieftje, G. M. Time-resolved fluorescence with an optical-fiber probe 145
Voet, H. van der, see van der Voet, H. 63
Vujičić, G., see Široki, M. 175

Wade, A. P., see Stults, C. L. M. 155, 301
Wang, J.
—, Bonakdar, M. and Pack, M. M. Glassy carbon electrodes coated with cellulose acetate for adsorptive stripping voltammetry 215
Whiteside, I. R. C.
—, Worsfold, P. J. and Lynes, A. Spectrofluorometric flow-injection determination of tertiary amines in non-aqueous media 77
Wolf, J. H., see De Ruiter, C. 267
Worsfold, P. J., see Whiteside, I. R. C. 77

Yang, X.
—, Risinger, L. and Johansson, G. Removal of humic acid and surfactant interferences in trace metal determinations by differential-pulse anodic stripping voltammetry with use of adsorption and chelate ion-exchange columns in a flow-injection system 1
Yuan, C. Y., see Tougas, T. P. 327